




journals.iucr.org/e

Crystal structure of zymonic acid and a redetermination of its precursor, pyruvic acid

Dominik Heger, Alexis J. Eugene, Sean R. Parkin and Marcelo I. Guzman

Acta Cryst. (2019). E75, 858-862



This open-access article is distributed under the terms of the Creative Commons Attribution Licence http://creativecommons.org/licenses/by/4.0/legalcode, which permits unrestricted use, distribution, and reproduction in any medium, provided the original authors and source are cited.



ISSN 2056-9890

Received 15 April 2019 Accepted 15 May 2019

Edited by W. T. A. Harrison, University of Aberdeen, Scotland

Keywords: crystal structure; hydrogen bonding; low temperature; zymonic; pyruvic.

CCDC references: 1916323; 1916322

Supporting information: this article has supporting information at journals.iucr.org/e

Crystal structure of zymonic acid and a redetermination of its precursor, pyruvic acid


Dominik Heger, a,b* Alexis J. Eugene, Sean R. Parkin* and Marcelo I. Guzman*

^aDepartment of Chemistry, University of Kentucky, Lexington, Kentucky 40506, USA, and ^bDepartment of Chemistry, Faculty of Science, Masaryk University, Kamenice 5, 625 00 Brno, Czech Republic. *Correspondence e-mail: hegerd@chemi.muni.cz, s.parkin@uky.edu, marcelo.guzman@uky.edu

The structure of zymonic acid (systematic name: 4-hydroxy-2-methyl-5-oxo-2,5dihydrofuran-2-carboxylic acid), C₆H₆O₅, which had previously eluded crystallographic determination, is presented here for the first time. It forms by intramolecular condensation of parapyruvic acid, which is the product of aldol condensation of pyruvic acid. A redetermination of the crystal structure of pyruvic acid (systematic name: 2-oxopropanoic acid), C₃H₄O₃, at low temperature (90 K) and with increased precision, is also presented [for the previous structure, see: Harata et al. (1977). Acta Cryst. B33, 210-212]. In zymonic acid, the hydroxylactone ring is close to planar (r.m.s. deviation = 0.0108 Å) and the dihedral angle between the ring and the plane formed by the bonds of the methyl and carboxylic acid carbon atoms to the ring is 88.68 (7)°. The torsion angle of the carboxylic acid group relative to the ring is 12.04 (16)°. The pyruvic acid molecule is almost planar, having a dihedral angle between the carboxylic acid and methyl-ketone groups of 3.95 (6)°. Intermolecular interactions in both crystal structures are dominated by hydrogen bonding. The common $R_2^2(8)$ hydrogen-bonding motif links carboxylic acid groups on adjacent molecules in both structures. In zymonic acid, this results in dimers about a crystallographic twofold of space group C2/c, which forces the carboxylic acid group to be disordered exactly 50:50, which scrambles the carbonyl and hydroxyl groups and gives an apparent equalization of the C-O bond lengths [1.2568 (16) and 1.2602 (16) Å]. The other hydrogen bonds in zymonic acid (O-H···O and weak C-H···O), link molecules across a 2₁-screw axis, and generate an $R_2^2(9)$ motif. These hydrogen-bonding interactions propagate to form extended pleated sheets in the ab plane. Stacking of these zigzag sheets along c involves only van der Waals contacts. In pyruvic acid, inversion-related molecules are linked into $R_2^2(8)$ dimers, with van der Waals interactions between dimers as the only other intermolecular contacts.

1. Chemical context

The Human Metabolome Database (Wishart *et al.*, 2007, 2009, 2013, 2018) lists the compound 4-hydroxy-2-methyl-5-oxofuran-2-carboxylic acid ($C_6H_6O_5$), commonly named zymonic acid, with the metabocard HMDB0031210. Zymonic acid is used as a flavor constituent for confectionery and tobacco products (Yannai, 2004). The generation of zymonic acid can proceed by condensation of parapyruvic acid, which itself forms by aldol condensation of pyruvic acid (IUPAC name 2-oxopropanoic acid, $C_3H_4O_3$; Bloomer *et al.*, 1970). Therefore, zymonic acid is directly derived from pyruvic acid, and is thus related to the compounds present in the tricarboxylic acid (Krebs) cycle (Nelson & Cox, 2004) and its reductive version (Guzman, 2011; Guzman & Martin, 2008; Zhou & Guzman, 2016). As an intermediate in central metabolism, zymonic acid



OPEN 3 ACCESS

is produced in the cytoplasm at very low concentration, from where it can be excreted to the extracellular region.

The electron-impact mass spectrum (MS) and electrospray ionization fragmentation of zymonic acid following gas and liquid chromatography, respectively, have been reported (Allen et al., 2015, 2016). The use of ¹³C-zymonic acid has enabled mapping of pH changes, independently of concentration, in mammalian organs and tumors via hyperpolarized magnetic resonance (Düwel et al., 2017). Thus, zymonic acid is a non-invasive extracellular imaging sensor to localize and quantify pH in vivo (Düwel et al., 2017; Hundshammer et al., 2017), with many possible applications in medical diagnosis (Schilling et al., 2016). As part of the process resulting in the aforementioned invention, the detailed ¹H and ¹³C NMR spectra of pure zymonic acid have been reported (Hundshammer et al., 2017). Herein, we contribute new information to characterize zymonic acid by reporting for the first time its crystal structure, along with a low-temperature redetermination of pyruvic acid.

2. Structural commentary

Aside from the effects on the geometry of the carboxylic acid group in zymonic acid that stem from disorder about the twofold axis (see below), there are no unusual bond lengths or angles in either compound.

In zymonic acid (Fig. 1), the hydroxylactone ring is essentially planar (r.m.s. deviation = 0.0108 Å), with the largest deviation from planarity [0.0171 (8) Å] for the ring oxygen atom, O3. The plane defined by the ring carbon atom C4, the methyl carbon atom C6, and the carboxylic acid carbon atom




Figure 1
The molecular structure of zymonic acid, with displacement ellipsoids drawn at the 50% probability level.

Table 1 Hydrogen-bond geometry (Å, °) for zymonic acid.

$D-H\cdots A$	D-H	$H \cdot \cdot \cdot A$	$D \cdot \cdot \cdot A$	$D-\mathrm{H}\cdots A$
$O2-H2\cdots O1^{i}$	0.84	1.96	2.7103 (14)	148
C3−H3···O2 ⁱ	0.95	2.48	3.0720 (16)	120
$O4-H4O\cdots O4^{ii}$	1.09	1.52	2.607(2)	176
O5−H5 <i>O</i> ···O5 ⁱⁱ	0.99	1.63	2.624 (2)	179

Symmetry codes: (i) $-x + \frac{3}{2}$, $y + \frac{1}{2}$, $-z + \frac{3}{2}$; (ii) -x + 1, y, $-z + \frac{3}{2}$.

C5, is almost perpendicular to the mean plane of the ring atoms [dihedral angle = $88.68 (7)^{\circ}$]. Lastly, the orientation of the carboxylic acid group relative to the ring, as defined by the torsion angle O4—C5—C4—O3, is $12.04 (16)^{\circ}$. For the carboxylic acid group, disorder about the crystallographic twofold axis effectively averages the C=O double and C-O single bonds, rendering them equivalent [the C5—O4 and C5—O5 distances are 1.2568 (16) and 1.2602 (16) Å, respectively], and requires modeling of half-occupancy hydrogens (H4O and H5O) on each.

In spite of increased precision resulting from much lower temperature (90 K *versus* 266 K) and data collection on modern equipment, the redetermined structure of pyruvic acid (Fig. 2) is largely unchanged from that reported by Harata *et al.* (1977). For example, the dihedral angle between the planes defined by atoms C1/C2/C3/O3 and C1/C2/O1/O2 is 3.95 (6)° at 90.00 (2) K *versus* 3.5° at 266 (1) K.

3. Supramolecular features

The main intermolecular interactions in the crystals of both zymonic and pyruvic acids are hydrogen bonds. In zymonic acid, the carboxylic acid groups of adjacent molecules are related by a crystallographic twofold axis to form hydrogen bonds $[O4-H4O\cdots O4^{ii}]$ and $O5-H5O\cdots O5^{ii}$; symmetry code: (ii) 1-x, y, $\frac{3}{2}-z$] giving $R_2^2(8)$ dimer motifs (Table 1). This common supramolecular construct in carboxylic acids usually occurs between inversion-related or symmetry-independent molecules. Here, the orientation of the dimer relative to the crystallographic twofold axis forces the average struc-




Figure 2
The molecular structure of pyruvic acid, with displacement ellipsoids drawn at the 50% probability level.




Figure 3 The $R_2^2(8)$ dimer of zymonic acid. Unlabeled atoms are related to their labeled counterparts by a crystallographic twofold axis $(1-x, y, \frac{3}{2}-z)$. This uncommon symmetry [for an $R_2^2(8)$ dimer] forces the $O-H\cdots O$ hydrogen bonds involved to be 50:50 disordered about the twofold axis.

ture to be statistically disordered (Fig. 3). Another pair of hydrogen bonds $[O2-H2\cdots O1^i]$ and $C3-H3\cdots O2^i$; symmetry code: (i) $\frac{3}{2}-x,\frac{1}{2}+y,\frac{3}{2}-z$], link molecules related by a 2_1 -screw axis, into $R_2^2(9)$ motifs (Fig. 4). These hydrogenbonding interactions combine to form extended pleated sheets that propagate in the *ab* plane (Fig. 5), which in turn, stack along the *c*-axis direction. In pyruvic acid, inversion-related molecules form the common $R_2^2(8)$ dimer motif (Fig. 6,




Figure 4 The $R_2^2(9)$ dimer of zymonic acid. Unlabeled atoms are related to their labeled counterparts by a crystallographic 2_1 -screw axis $(\frac{3}{2} - x, \frac{1}{2} + y, \frac{3}{2} - z)$. Disorder of the carboxylic acid H atoms is omitted to enhance clarity.




Figure 5 A packing plot of zymonic acid viewed down the b axis, showing the stacking along c of zigzag pleated assemblies of molecules. Disorder of the carboxylic acid hydrogen atoms is omitted to enhance clarity.

Table 2 Hydrogen-bond geometry (Å, °) for pyruvic acid.

$D-H\cdots A$	$D-\mathrm{H}$	$H \cdot \cdot \cdot A$	$D \cdot \cdot \cdot A$	$D-\mathrm{H}\cdots A$
O1-H1···O2 ⁱ	0.913 (14)	1.742 (14)	2.6536 (8)	175.5 (12)

Symmetry code: (i) -x + 1, -y + 1, -z + 1.

Table 2). In accordance with the work of Harata *et al.* (1977), there are no other noteworthy intermolecular interactions.

4. Database survey

A search of the Cambridge Crystal Structure Database (Version 5.40, Nov. 2018; Groom et al., 2016) for zymonic acid gave no hits for searches on either 'zymonic' or on the structural formula. A search on the structural formula of pyruvic acid gave two hits. CSD entry PRUVAC (Harata et al., 1977) describes the pure compound at 266 K, and is similar to the present pyruvic acid structure (after transformation to a common cell setting). CSD entry FAFGUR (Prohens et al., 2016) describes a co-crystal of pyruvic acid with the drug agomelatine. The CSD does contain structures for derivatives of both zymonic and pyruvic acids, but none of these have features that are especially relevant to the current work.

5. Synthesis and crystallization

Vacuum distillation of pyruvic acid (Sigma–Aldrich, 98.5%) was used for purification (Eugene & Guzman, 2017a,b). Freshly distilled pyruvic acid was crystallized in a closed vial in a freezer at 253 K. The tail of this distillation, a viscous yellowish residue enriched in parapyruvic and zymonic acids, was isolated in a vial, and the headspace filled with $N_2(g)$ before sealing it with a cap. Crystals of zymonic acid were produced slowly from this isolated residue kept at 275 K inside a refrigerator. The easily identifiable transparent crystals of zymonic acid appear above the level of the viscous solution within two weeks. Pyruvic acid crystals are deliquescent in air, even at 263 K (Harata et al., 1977), so they had to be kept cold, with minimal exposure to ambient air. Thus, throughout all experimental stages from initial inspection through data collection, special techniques for crystal handling at low temperature (Parkin & Hope, 1998) were employed.




Figure 6 The $R_2^2(8)$ dimer of pyruvic acid. Unlabeled atoms are related to their labeled counterparts by crystallographic inversion symmetry (1-x, 1-y, 1-z).

Table 3 Experimental details.

	zymonic acid	pyruvic acid
Crystal data		
Chemical formula	$C_6H_6O_5$	$C_3H_4O_3$
$M_{\rm r}$	158.11	88.06
Crystal system, space group	Monoclinic, C2/c	Monoclinic, $P2_1/c$
Temperature (K)	90	90
a, b, c (Å)	24.145 (3), 6.6523 (7), 8.6201 (7)	10.7486 (3), 5.1925 (2), 6.8302 (2)
β (°)	95.169 (4)	99.063 (1)
$V(\mathring{A}^3)$	1378.9 (3)	376.45 (2)
Z	8	4
Radiation type	Μο Κα	Μο Κα
$\mu \text{ (mm}^{-1})$	0.14	0.14
Crystal size (mm)	$0.30 \times 0.25 \times 0.02$	$0.26 \times 0.22 \times 0.18$
Data collection		
Diffractometer	Bruker D8 Venture dual source	Bruker D8 Venture dual source
Absorption correction	Multi-scan (SADABS; Krause et al., 2015)	Multi-scan (SADABS; Krause et al., 2015)
T_{\min} , T_{\max}	0.721, 0.959	0.890, 0.971
No. of measured, independent and observed $[I > 2\sigma(I)]$ reflections	18595, 1586, 1392	10479, 1425, 1242
$R_{\rm int}$	0.062	0.025
$(\sin \theta/\lambda)_{\max} (\mathring{A}^{-1})$	0.650	0.796
Refinement		
$R[F^2 > 2\sigma(F^2)], wR(F^2), S$	0.037, 0.100, 1.09	0.031, 0.082, 1.08
No. of reflections	1586	1425
No. of parameters	104	60
H-atom treatment	H atoms treated by a mixture of independent and constrained refinement	H atoms treated by a mixture of independent and constrained refinement
$\Delta \rho_{\rm max}$, $\Delta \rho_{\rm min}$ (e Å ⁻³)	0.36, -0.24	0.40, -0.21

Computer programs: APEX3 (Bruker, 2016), SHELXT (Sheldrick, 2015a), SHELXL2018/3 (Sheldrick, 2015b), XP in SHELXTL (Sheldrick, 2008), and CIFFIX (Parkin, 2013).

6. Refinement

Crystal data, data collection, and structure refinement details are summarized in Table 3. Non-disordered hydrogen atoms were found in difference Fourier maps. For pyruvic acid, the hydroxyl hydrogen-atom coordinates were refined freely, while methyl hydrogen C—H distances used a riding model that allowed the C—H distance to refine. For zymonic acid, riding models were used for all hydrogen atoms apart from those disordered about the twofold axis, which were modeled in accordance with the recommendations of Fábry (2018). $U_{\rm iso}({\rm H})$ parameters of non-disordered hydrogens were set to either $1.2U_{\rm eq}$ or $1.5U_{\rm eq}$ (for the methyl and hydroxyl groups, respectively) of the attached atom. To ensure stable refinement of disordered groups in the zymonic acid structure, constraints (SHELXL command EADP) were used to equalize displacement parameters of superimposed atoms.

Funding information

We are thankful for research funding from the National Science Foundation under NSF CAREER award CHE-1255290 to MIG, and the MRI program, grants CHE-0319176 and CHE-1625732. An International Visiting Scholar grant from the College of Arts and Sciences at UK is gratefully acknowledged.

References

Allen, F., Greiner, R. & Wishart, D. (2015). Metabolomics, 11, 98–110.
Allen, F., Pon, A., Greiner, R. & Wishart, D. (2016). Anal. Chem. 88, 7689–7697.

Bloomer, J. L., Gross, M. A., Kappler, F. E. & Pandey, G. N. (1970). *J. Chem. Soc. D*, p. 1030a.

Bruker (2016). APEX3. Bruker AXS Inc., Madison, Wisconsin, USA. Düwel, S., Hundshammer, C., Gersch, M., Feuerecker, B., Steiger, K., Buck, A., Walch, A., Haase, A., Glaser, S. J., Schwaiger, M. & Schilling, F. (2017). *Nat. Commun.* **8**, 15126.

Eugene, A. J. & Guzman, M. I. (2017a). J. Phys. Chem. A, 121, 2924–2935.

Eugene, A. J. & Guzman, M. I. (2017b). J. Phys. Chem. A, 121, 8741–8744.

Fábry, J. (2018). Acta Cryst. E74, 1344-1357.

Groom, C. R., Bruno, I. J., Lightfoot, M. P. & Ward, S. C. (2016). Acta Cryst. B72, 171–179.

Guzman, M. I. (2011). Origins of Life: The Primal Self-Organization, edited by R. Egel, D.-H. Lankenau & A. Y. Mulkidjanian, pp. 85– 105: Springer Berlin Heidelberg.

Guzman, M. I. & Martin, S. T. (2008). Int. J. Astrobiology, 7, 271–278.
Harata, K., Sakabe, N. & Tanaka, J. (1977). Acta Cryst. B33, 210–212.
Hundshammer, C., Düwel, S., Köcher, S. S., Gersch, M., Feuerecker, B., Scheurer, C., Haase, A., Glaser, S. J., Schwaiger, M. & Schilling, F. (2017). ChemPhysChem, 18, 2422–2425.

Krause, L., Herbst-Irmer, R., Sheldrick, G. M. & Stalke, D. (2015). J. Appl. Cryst. 48, 3–10.

Nelson, D. L. & Cox, M. (2004). *Lehninger Principles of Biochemistry*, 4th ed. New York: W. H. Freeman.

Parkin, S. (2013). CIFFIX, https://xray.uky.edu/Resources/scripts/ciffix

- Parkin, S. & Hope, H. (1998). J. Appl. Cryst. 31, 945-953.
- Prohens, R., Barbas, R., Portell, A., Font-Bardia, M., Alcobé, X. & Puigjaner, C. (2016). Cryst. Growth Des. 16, 1063–1070.
- Schilling, F., Glaser, S., Düwel, S. & Gersch, M. (2016). pH-Biosensors Based on Compounds Produced From Pyruvic Acid For Magnetic Resonance Imaging and Spectroscopy and Their Uses. Google Patents.
- Sheldrick, G. M. (2008). Acta Cryst. A64, 112-122.
- Sheldrick, G. M. (2015a). Acta Cryst. A71, 3-8.
- Sheldrick, G. M. (2015b). Acta Cryst. C71, 3-8.
- Wishart, D. S., Feunang, Y. D., Marcu, A., Guo, A. C., Liang, K., Vázquez-Fresno, R., Sajed, T., Johnson, D., Li, C., Karu, N., Sayeeda, Z., Lo, E., Assempour, N., Berjanskii, M., Singhal, S., Arndt, D., Liang, Y., Badran, H., Grant, J., Serra-Cayuela, A., Liu, Y., Mandal, R., Neveu, V., Pon, A., Knox, C., Wilson, M., Manach, C. & Scalbert, A. (2018). *Nucleic Acids Res.* 46, D608–D617.
- Wishart, D. S., Jewison, T., Guo, A. C., Wilson, M., Knox, C., Liu, Y., Djoumbou, Y., Mandal, R., Aziat, F., Dong, E., Bouatra, S., Sinelnikov, I., Arndt, D., Xia, J., Liu, P., Yallou, F., Bjorndahl, T., Perez-Pineiro, R., Eisner, R., Allen, F., Neveu, V., Greiner, R. & Scalbert, A. (2013). *Nucleic Acids Res.* 41, D801–D807.

- Wishart, D. S., Knox, C., Guo, A. C., Eisner, R., Young, N., Gautam, B., Hau, D. D., Psychogios, N., Dong, E., Bouatra, S., Mandal, R., Sinelnikov, I., Xia, J., Jia, L., Cruz, J. A., Lim, E., Sobsey, C. A., Shrivastava, S., Huang, P., Liu, P., Fang, L., Peng, J., Fradette, R., Cheng, D., Tzur, D., Clements, M., Lewis, A., De Souza, A., Zuniga, A., Dawe, M., Xiong, Y., Clive, D., Greiner, R., Nazyrova, A., Shaykhutdinov, R., Li, L., Vogel, H. J. & Forsythe, I. (2009). *Nucleic Acids Res.* 37, D603–D610.
- Wishart, D. S., Tzur, D., Knox, C., Eisner, R., Guo, A. C., Young, N., Cheng, D., Jewell, K., Arndt, D., Sawhney, S., Fung, C., Nikolai, L., Lewis, M., Coutouly, M.-A., Forsythe, I., Tang, P., Shrivastava, S., Jeroncic, K., Stothard, P., Amegbey, G., Block, D., Hau, D. D., Wagner, J., Miniaci, J., Clements, M., Gebremedhin, M., Guo, N., Zhang, Y., Duggan, G. E., Macinnis, G. D., Weljie, A. M., Dowlatabadi, R., Bamforth, F., Clive, D., Greiner, R., Li, L., Marrie, T., Sykes, B. D., Vogel, H. J. & Querengesser, L. (2007). *Nucleic Acids Res.* 35, D521–D526.
- Yannai, S. (2004). *Dictionary of food compounds with CD-ROM:*Additives, flavors, and ingredients. Boca Raton: Chapman and Hall/CRC.
- Zhou, R. & Guzman, M. I. (2016). J. Phys. Chem. C, 120, 7349-7357.

Acta Cryst. (2019). E75, 858-862 [https://doi.org/10.1107/S2056989019007072]

Crystal structure of zymonic acid and a redetermination of its precursor, pyruvic acid

Dominik Heger, Alexis J. Eugene, Sean R. Parkin and Marcelo I. Guzman

Computing details

For both structures, data collection: *APEX3* (Bruker, 2016); cell refinement: *APEX3* (Bruker, 2016); data reduction: *APEX3* (Bruker, 2016); program(s) used to solve structure: *SHELXT* (Sheldrick, 2015a). Program(s) used to refine structure: *SHELXL2018/3* (Sheldrick, 2015b) for zymonic; *SHELXL2018* (Sheldrick, 2015b) for pyruvic. For both structures, molecular graphics: *XP in SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXL* (Sheldrick, 2008) and *CIFFIX* (Parkin, 2013).

4-Hydroxy-2-methyl-5-oxo-2,5-dihydrofuran-2-carboxylic acid (zymonic)

Crystal data

$C_6H_6O_5$
$M_r = 158.11$
Monoclinic, C2/c
a = 24.145 (3) Å
b = 6.6523 (7) Å
c = 8.6201 (7) Å
$\beta = 95.169 (4)^{\circ}$
$V = 1378.9 (3) \text{ Å}^3$
Z=8

Data collection

Bruker D8 Venture dual source diffractometer Radiation source: microsource Detector resolution: 5.6 pixels mm⁻¹ φ and ω scans Absorption correction: multi-scan (*SADABS*; Krause *et al.*, 2015) $T_{\min} = 0.721$, $T_{\max} = 0.959$

Refinement

Refinement on F^2 Least-squares matrix: full $R[F^2 > 2\sigma(F^2)] = 0.037$ $wR(F^2) = 0.100$ S = 1.091586 reflections 104 parameters 0 restraints F(000) = 656 $D_x = 1.523$ Mg m⁻³ Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å Cell parameters from 9925 reflections $\theta = 3.2-27.5^{\circ}$ $\mu = 0.14$ mm⁻¹ T = 90 K Thin plate, colourless $0.30 \times 0.25 \times 0.02$ mm

18595 measured reflections 1586 independent reflections 1392 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.062$ $\theta_{\text{max}} = 27.5^{\circ}$, $\theta_{\text{min}} = 3.2^{\circ}$ $h = -31 \rightarrow 31$ $k = -8 \rightarrow 8$ $l = -11 \rightarrow 10$

Primary atom site location: structure-invariant direct methods
Secondary atom site location: difference Fourier map
Hydrogen site location: mixed
H atoms treated by a mixture of independent and constrained refinement $w = 1/[\sigma^2(F_o^2) + (0.0428P)^2 + 1.4377P]$ where $P = (F_o^2 + 2F_c^2)/3$

 $(\Delta/\sigma)_{\rm max} = 0.001$ $\Delta\rho_{\rm max} = 0.36 \text{ e Å}^{-3}$ $\Delta\rho_{\rm min} = -0.24 \text{ e Å}^{-3}$ Extinction correction: SHELXL2018 (Sheldrick, 2015a),

Fc*=kFc[1+0.001xFc² λ^3 /sin(2 θ)]^{-1/4} Extinction coefficient: 0.0057 (13)

Special details

Experimental. The crystal was mounted using polyisobutene oil on the tip of a fine glass fibre, which was fastened in a copper mounting pin with electrical solder. It was placed directly into the cold gas stream of a liquid-nitrogen based cryostat (Hope, 1994; Parkin & Hope, 1998).

Diffraction data were collected with the crystal at 90K, which is standard practice in this laboratory for the majority of flash-cooled crystals.

Geometry. All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

Refinement. Refinement progress was checked using *Platon* (Spek, 2009) and by an *R*-tensor (Parkin, 2000). The final model was further checked with the IUCr utility *checkCIF*.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\hat{A}^2)

	x	у	z	$U_{ m iso}$ */ $U_{ m eq}$	Occ. (<1)
C1	0.67036 (5)	0.40914 (19)	0.56905 (14)	0.0170(3)	
O1	0.68738 (4)	0.24154 (14)	0.54864 (11)	0.0209(2)	
C2	0.69378 (5)	0.5659 (2)	0.67706 (14)	0.0178 (3)	
O2	0.74026 (4)	0.51656 (15)	0.76588 (12)	0.0240(3)	
H2	0.752557	0.618162	0.815574	0.036*	
C3	0.66149 (5)	0.7275 (2)	0.66335 (15)	0.0182(3)	
H3	0.667502	0.849554	0.719574	0.022*	
O3	0.62412 (4)	0.48283 (13)	0.48901 (11)	0.0188 (2)	
C4	0.61371 (5)	0.68442 (19)	0.54353 (15)	0.0186(3)	
04	0.54061 (4)	0.51162 (15)	0.66013 (12)	0.0249(3)	
H4O	0.507244	0.517998	0.736346	0.109 (14)*	0.5
O5	0.54177 (4)	0.84824 (16)	0.66262 (14)	0.0303(3)	
H5O	0.509866	0.849228	0.727610	0.109 (14)*	0.5
C5	0.56056 (5)	0.67919 (19)	0.62725 (15)	0.0188(3)	
C6	0.60945 (7)	0.8285(2)	0.40645 (17)	0.0257(3)	
H6A	0.644218	0.825746	0.355945	0.039*	
H6B	0.602833	0.964985	0.443442	0.039*	
H6C	0.578557	0.787894	0.331471	0.039*	

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.0184 (6)	0.0180(6)	0.0151 (6)	-0.0007 (5)	0.0038 (5)	0.0010 (5)
O1	0.0238 (5)	0.0173 (5)	0.0213 (5)	0.0015 (4)	0.0010(4)	-0.0013(4)
C2	0.0165 (6)	0.0204 (6)	0.0165 (6)	-0.0023(5)	0.0016 (5)	-0.0020(5)
O2	0.0186 (5)	0.0249 (5)	0.0274 (5)	0.0035 (4)	-0.0050(4)	-0.0073(4)
C3	0.0168 (6)	0.0190(6)	0.0190(6)	-0.0032(5)	0.0020 (5)	-0.0036(5)
О3	0.0213 (5)	0.0155 (5)	0.0192 (5)	0.0003 (3)	-0.0013(4)	-0.0027(3)
C4	0.0205 (6)	0.0135 (6)	0.0212 (6)	-0.0007(5)	-0.0012(5)	-0.0018(5)

Acta Cryst. (2019). E**75**, 858-862 **sup-2**

O4	0.0225 (5)	0.0207 (5)	0.0314 (6)	-0.0031 (4)	0.0027 (4)	0.0013 (4)
O5	0.0252 (5)	0.0209 (5)	0.0457 (7)	0.0027 (4)	0.0074 (5)	-0.0040(4)
C5	0.0165 (6)	0.0171 (6)	0.0217 (6)	0.0004 (5)	-0.0042(5)	-0.0001(5)
C6	0.0351 (8)	0.0192 (7)	0.0223 (7)	-0.0013 (6)	-0.0008(6)	0.0026 (5)

Geometric parameters (Å, °)			
C1—O1	1.2067 (16)	C4—C6	1.5179 (19)
C1—O3	1.3505 (15)	C4—C5	1.5282 (19)
C1—C2	1.4763 (18)	O4—C5	1.2568 (16)
C2—C3	1.3268 (18)	O4—H4O	1.0854
C2—O2	1.3411 (16)	O5—C5	1.2602 (16)
O2—H2	0.8400	O5—H5O	0.9926
C3—C4	1.5051 (17)	C6—H6A	0.9800
C3—H3	0.9500	C6—H6B	0.9800
O3—C4	1.4505 (15)	С6—Н6С	0.9800
O1—C1—O3	122.52 (12)	O3—C4—C5	108.03 (10)
O1—C1—C2	128.95 (12)	C3—C4—C5	107.73 (11)
O3—C1—C2	108.53 (11)	C6—C4—C5	112.41 (11)
C3—C2—O2	134.75 (12)	C5—O4—H4O	115.0
C3—C2—C1	109.12 (11)	C5—O5—H5O	117.2
O2—C2—C1	116.12 (11)	O4—C5—O5	125.69 (13)
C2—O2—H2	109.5	O4—C5—C4	118.80 (11)
C2—C3—C4	108.35 (11)	O5—C5—C4	115.45 (11)
C2—C3—H3	125.8	C4—C6—H6A	109.5
C4—C3—H3	125.8	C4—C6—H6B	109.5
C1—O3—C4	109.24 (10)	H6A—C6—H6B	109.5
O3—C4—C3	104.7 (1)	C4—C6—H6C	109.5
O3—C4—C6	109.47 (11)	H6A—C6—H6C	109.5
C3—C4—C6	114.07 (11)	H6B—C6—H6C	109.5
O1—C1—C2—C3	-179.25 (13)	C1—O3—C4—C5	-112.19 (11)
O3—C1—C2—C3	1.17 (15)	C2—C3—C4—O3	-1.69 (14)
O1—C1—C2—O2	-0.3 (2)	C2—C3—C4—C6	-121.33 (13)
O3—C1—C2—O2	-179.92 (10)	C2—C3—C4—C5	113.14 (12)
O2—C2—C3—C4	-178.23 (14)	O3—C4—C5—O4	12.04 (16)
C1—C2—C3—C4	0.39 (15)	C3—C4—C5—O4	-100.56 (13)
O1—C1—O3—C4	178.13 (12)	C6—C4—C5—O4	132.92 (13)
C2—C1—O3—C4	-2.26 (13)	O3—C4—C5—O5	-170.61 (11)
C1—O3—C4—C3	2.43 (13)	C3—C4—C5—O5	76.79 (14)
C1—O3—C4—C6	125.11 (12)	C6—C4—C5—O5	-49.72 (16)

Hydrogen-bond geometry (Å, o)

<i>D</i> —H··· <i>A</i>	<i>D</i> —H	$H\cdots A$	D··· A	<i>D</i> —H··· <i>A</i>
O2—H2···O1 ⁱ	0.84	1.96	2.7103 (14)	148
C3—H3···O2 ⁱ	0.95	2.48	3.0720 (16)	120

Acta Cryst. (2019). E75, 858-862 sup-3

O4—H4 <i>O</i> ···O4 ⁱⁱ	1.09	1.52	2.607 (2)	176
O5—H5 <i>O</i> ···O5 ⁱⁱ	0.99	1.63	2.624(2)	179

Symmetry codes: (i) -x+3/2, y+1/2, -z+3/2; (ii) -x+1, y, -z+3/2.

2-Oxopropanoic acid (pyruvic)

Crystal data

Ci ysiai data	
$C_3H_4O_3$	F(000) = 184
$M_r = 88.06$	$D_{\rm x} = 1.554 {\rm Mg m}^{-3}$
Monoclinic, $P2_1/c$	Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ Å}$
a = 10.7486 (3) Å	Cell parameters from 6955 reflections
b = 5.1925 (2) Å	$\theta = 3.8 - 34.3^{\circ}$
c = 6.8302 (2) Å	$\mu = 0.14 \; \mathrm{mm}^{-1}$
$\beta = 99.063 (1)^{\circ}$	T = 90 K
$V = 376.45 (2) \text{ Å}^3$	Well-facetted block, colourless
Z=4	$0.26 \times 0.22 \times 0.18 \text{ mm}$

Data collection

Bruker D8 Venture dual source	10479 measured reflections
diffractometer	1425 independent reflections
Radiation source: microsource	1242 reflections with $I > 2\sigma(I)$
Detector resolution: 5.6 pixels mm ⁻¹	$R_{\rm int} = 0.025$
φ and ω scans	$\theta_{\text{max}} = 34.5^{\circ}, \ \theta_{\text{min}} = 3.8^{\circ}$
Absorption correction: multi-scan	$h = -16 \rightarrow 16$
(SADABS; Krause et al., 2015)	$k = -7 \longrightarrow 8$
$T_{\min} = 0.890, T_{\max} = 0.971$	$l = -10 \rightarrow 10$

Refinement

Regiment	
Refinement on F^2	Secondary atom site location: difference Fourier
Least-squares matrix: full	map
$R[F^2 > 2\sigma(F^2)] = 0.031$	Hydrogen site location: mixed
$wR(F^2) = 0.082$	H atoms treated by a mixture of independent
S = 1.08	and constrained refinement
1425 reflections	$w = 1/[\sigma^2(F_0^2) + (0.0299P)^2 + 0.1264P]$
60 parameters	where $P = (F_o^2 + 2F_c^2)/3$
0 restraints	$(\Delta/\sigma)_{\rm max} < 0.001$
Primary atom site location: structure-invariant	$\Delta ho_{ m max} = 0.40 \; m e \; \AA^{-3}$
direct methods	$\Delta \rho_{\min} = -0.21 \text{ e Å}^{-3}$

Special details

Experimental. The crystal was mounted using polyisobutene oil on the tip of a fine glass fibre, which was fastened in a copper mounting pin with electrical solder. It was placed directly into the cold gas stream of a liquid-nitrogen based cryostat (Parkin & Hope, 1998).

Diffraction data were collected with the crystal at 90K, which is standard practice in this laboratory for the majority of flash-cooled crystals.

Geometry. All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

Refinement. Refinement progress was checked using *Platon* (Spek, 2009) and by an *R*-tensor (Parkin, 2000). The final model was further checked with the IUCr utility *checkCIF*.

Acta Cryst. (2019). E**75**, 858-862 **sup-4**

T . 1 . 1	. 1		1.	1 .		1821
Fractional atomic coordin	ates and isotror	nic or eauivalent	isotronic dis	nlacement	narameters ((A-1)
1 i dettoitat atomie eooram	ares area ison op	sie or equirencia	ison opic dis	pracentent	parameters	/

	X	у	Z	$U_{ m iso}$ */ $U_{ m eq}$	
O1	0.41673 (5)	0.30370 (12)	0.30191 (9)	0.01968 (14)	
H1	0.4903 (13)	0.320(3)	0.3883 (19)	0.030*	
C1	0.33963 (6)	0.48448 (14)	0.34005 (11)	0.01316 (14)	
O2	0.36317 (5)	0.65673 (11)	0.46175 (8)	0.01589 (13)	
C2	0.20853 (6)	0.46732 (14)	0.21028 (10)	0.01271 (14)	
C3	0.11464 (7)	0.65949 (15)	0.25725 (11)	0.01520 (15)	
H3A	0.1499 (3)	0.8314 (12)	0.255(1)	0.023*	
Н3В	0.0940 (5)	0.6245 (9)	0.388 (1)	0.023*	
Н3С	0.0389 (6)	0.6478 (9)	0.1594 (9)	0.023*	
О3	0.18824 (5)	0.30508 (11)	0.08250 (9)	0.01774 (14)	

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O1	0.0132(2)	0.0218 (3)	0.0222(3)	0.0041(2)	-0.0027 (2)	-0.0084 (2)
C1	0.0121 (3)	0.0138 (3)	0.0136(3)	-0.0002(2)	0.0018 (2)	0.0003 (2)
O2	0.0135(2)	0.0155(3)	0.0176(3)	-0.00038 (19)	-0.00071(19)	-0.0034(2)
C2	0.0119(3)	0.0139(3)	0.0121(3)	-0.0011 (2)	0.0010(2)	0.0009(2)
C3	0.0140(3)	0.0163(3)	0.0148 (3)	0.0023(2)	0.0008(2)	-0.0013(3)
O3	0.0167(3)	0.0181 (3)	0.0173 (3)	-0.0002 (2)	-0.0008(2)	-0.0049(2)

Geometric parameters (Å, °)

1			
O1—C1	1.3053 (9)	C2—C3	1.4896 (10)
O1—H1	0.913 (14)	С3—Н3А	0.971 (6)
C1—O2	1.2201 (9)	С3—Н3В	0.971 (6)
C1—C2	1.5446 (10)	С3—Н3С	0.971 (6)
C2—O3	1.2079 (9)		
C1—O1—H1	108.4 (8)	C2—C3—H3A	109.5
O2—C1—O1	126.37 (7)	C2—C3—H3B	109.5
O2—C1—C2	120.38 (6)	H3A—C3—H3B	109.5
O1—C1—C2	113.24 (6)	C2—C3—H3C	109.5
O3—C2—C3	124.85 (7)	H3A—C3—H3C	109.5
O3—C2—C1	119.96 (7)	H3B—C3—H3C	109.5
C3—C2—C1	115.19 (6)		
O2—C1—C2—O3	175.81 (7)	O2—C1—C2—C3	-4.59 (10)
O1—C1—C2—O3	-3.34 (10)	O1—C1—C2—C3	176.26 (6)

Hydrogen-bond geometry (Å, o)

D— H ··· A	<i>D</i> —H	$H\cdots A$	D··· A	<i>D</i> —H··· <i>A</i>
O1—H1···O2 ⁱ	0.913 (14)	1.742 (14)	2.6536 (8)	175.5 (12)

Acta Cryst. (2019). E75, 858-862 sup-5

Symmetry code: (i) -x+1, -y+1, -z+1.

Acta Cryst. (2019). E**75**, 858-862